



Table of Contents EN

Instrument Set-up	2
Introduction	2
Overview	2
Basic measuring screen	3
Selection screen	3
	4
Charging the Li-Ion battery via USB	5
	6
Using the Touch Screen	6
Switching ON/OFF	7
Clear	7
Message Codes	7
Multifunctional endpiece	7
	7
	8
	8
Screenshot	9
	0
	0
	0
	•
	1
	2
	2
De-/Activate keylock I	_
	2
Bluetooth® Settings	3
Cambration of the serios (The Cambration)	4
Personalized favorites	5
	5
Date and Time	5
	6
	6
	7
	7
	8
	8
	8
	9
,	9
Memory 2	
	0
Smart Horizontal Mode 2	0

	Level			
	Area	 	 	21
	Volume	 	 	22
	Photo	 	 -	23
	Compass	 	 -	24
	Gallery	 	 	25
	Triangular area	 	 	26
	Long range mode	 	 	26
	Height-profile measurement	 	 	27
	Sloped objects	 	 	28
	Height tracking	 	 -	29
	Trapezium	 	 	30
	Stake out	 	 	31
	Pythagoras (2-point)	 	 	32
	Pythagoras (3-point)	 	 	3
	Width	 	 	34
	Diameter			
	Area from Photo			
_	echnical Data			
	essage Codes			
	ıre			
٧	'arranty	 	 -	38
a	fety Instructions	 	 	39
	Areas of responsibility	 	 	39
	Prohibited use	 	 	39
	Limits of use	 	 	39
	Disposal	 	 	40
	Electromagnetic Compatibility (EMC)	 	 	40
	Electromagnetic Compatibility (EMC)	 	 	40
	Electromagnetic Compatibility (EMC)	 	 · -	40 41
	Electromagnetic Compatibility (EMC)	 	 · -	40 41
	Electromagnetic Compatibility (EMC) FCC statement (applicable in U.S.) Déclaration FCC, applicable aux Etats-Unis Normativa FCC (aplicable en FF UI.)	 	 	40 41 41
	Electromagnetic Compatibility (EMC) FCC statement (applicable in U.S.) Déclaration FCC, applicable aux Etats-Unis Normativa FCC (aplicable en FF UI.)	 	 	40 41 41
	Electromagnetic Compatibility (EMC)	 	 	40 41 41 42
	Electromagnetic Compatibility (EMC)	 	 · -	40 41 41 42 42
	Electromagnetic Compatibility (EMC)	 	 · -	40 41 41 42 42

Introduction



The safety instructions and the user manual should be read through carefully before the product is used for the first time.



The person responsible for the product must ensure that all users understand these directions and adhere to them.

The symbols used have the following meanings:

MARNING


Indicates a potentially hazardous situation or an unintended use which, if not avoided, will result in death or serious injury.

ACAUTION

Indicates a potentially hazardous situation or an unintended use which, if not avoided, may result in minor injury and/or appreciable material, financial and environmental damage.


Important paragraphs which must be adhered to in practice as they enable the product to be used in a technically correct and efficient manner.

Overview




EN


Basic measuring screen



Selection screen



Pointfinder (Viewscreen)




Charging the Li-Ion battery via USB

Charge the battery before using it for the first time. Use the provided cable to charge the battery.

Plug the small end of the cable into the port of the device, and plug the end of the charger into an electrical socket. Select the appropriate connector for your country. The device cannot be used while it is charging.

The computer can also be used to charge the device, but this takes more time. If the device is connected to the computer via USB cable, you can download or delete the gallery. It is not possible to upload any data.



When you charge the battery, the following icons show the status:

Charging



Fully charged





Charge batteries when battery symbol is flashing.

not affect the device's lifespan or performance. If the battery gets

At a recommended storage temperature of -20°C to +30°C (-4°F to +86°F), batteries containing a 50% to 100% charge can be stored up to I year. After this storage period the batteries

To save energy, unplug the charger when not in use.

∠!\ CAUTION

Connecting the charger improperly may cause serious damage to the device. Any damage caused by misuse is not covered by the warranty. Use only Leica-approved chargers, batteries, and cables. Unapproved chargers or cables can cause the battery to explode or damage the device.

If the device is connected to the computer via USB cable, you can download or delete the gallery. It is not possible to upload any data.

Using the Touch Screen

Use only fingers to use the touch screen

Do not allow the touch screen to come into contact with other electrical devices.

Electrostatic discharges can cause the touch screen to malfunction. Do not allow the touch screen to contact water. The touch screen may malfunction in humid conditions or when exposed to water. To avoid damaging the touch screen, do not tap it with anything sharp or do not apply excessive pressure to it with your fingertips.

Tapping



Tap on the display to open an onscreen button or to make a selection. Tapping on the icon in the middle of the bottom line activates the distance measurement or triggers the camera.

Dragging



Drag on the display to move to prior or to next screen.

Pinching



Spread 2 fingers apart to zoom.



the touch screen, the nor mal keypad but tons can be used also.

Switching ON/OFF





Device is turned OFF.

Clear

sec, the device

switches off au-



Undo last action.






Leave actual function, go to default operation mode.


Message Codes

If the info icon appears with a number, observe the instructions in section "Message Codes". Example:



Multifunctional endpiece






detected and accordingly ad-

Permament / Minimum-Maximum measuring





The minimum and maximum distance measured is displayed (min, max.). The last value measured is displayed in the main line.





Stops permanent / minimummaximum measuring.

Add / Subtract






The next measurement is **added** to the previous one.



The next measurement is **subtracted** from the previous one.






This process can be repeated as required. The same process can be used for adding or subtracting areas or volumes.

Pointfinder (Viewscreen)














Exit pointfinder (viewscreen).

This is a great help for outdoor measuring. The integrated pointfinder (viewscreen) shows the target on the display. The device measures in the middle of the cross hair, even if the laser dot is not visible.

Parallax errors occur when the pointfinder camera is used on close targets, with the effect that the laser appears displaced in the crosshair. In this case rely on the real laser dot

* OV = Overview


Screenshot




Screenshot photo is saved in gallery.




Overview














Switch between the following units:

360.0°	0.00 %
± 180.0°	0.0 mm/m
± 90.0°	0.00 in/ft








Exit settings.

Distance units







Switch between the following units:

Art. No. 792297:

0.00 m	0.00 ft
0.000 m	0.00 in
0.0000 m	0 in 1/32
0.0 mm	0'00" 1/32

US-Model Art. No. 799097:

0.00 m	0 in 1/16
0.000 m	0'00" 1/16
0.0000 m	0 in 1/8
0.0 mm	0'00" 1/8
0.00 ft	0 in 1/4
0.00 in	0'00" 1/4
0 in 1/32	0.000 yd
0'00" 1/32	







Confirm setting.

 ${\sf Exit\ settings}.$

→ Beep ON/OFF









Exit settings.

■ Digital level ON/OFF





To switch ON, repeat procedure.



Exit settings.

The digital level is displayed in the status bar.

A De-/Activate keylock





To deactivate, repeat procedure. The keylock is active if device is switched off.





Exit settings.


Switch on with keylock







Bluetooth® Settings



Explanation see info box below.



Exit settings.



Bluetooth® is switched on and

Blue Bluetooth® icon in status line with Bluetooth®.



Switches Bluetooth® off.



Figure Mode: Use this mode if the data needs to be transferred in figures, e.g. working with spread sheets. Ft/in fractional is converted

- Allows the arrow keys to move the cursor on your computer.
- sends the value of the main line to the computer.



e.g. working with word processing programs.

- **Allows** the arrow keys to move the cursor on your computer.
- sends the value of the main line to the computer.



App Mode: Use this mode to transfer the data using an App.

Connect the device with your smart phone, tablet, lap-


Bluetooth® connection is established. To transfer a result from the main line, press =. Bluetooth® switches off as soon as the laser distance meter is switched off.


The efficient and innovative Bluetooth® Smart module (with the new Bluetooth® standard V4.0) works together with all Bluetooth® Smart Ready devices. All other Bluetooth® devices do not support the energy saving Bluetooth® Smart Module, which is integrated in the device.

arising from the use of the free software and we are not obliged to provide corrections nor to develop upgrades. A homepage. Apps for Android® or Mac iOS can be found in

For more details, see our homepage.


Calibration of tilt sensor (Tilt Calibration)








Place device on absolutely flat surface.



Turn the device horizontally by 180° and place it again on absolutely flat surface.





Place device on absolutely flat surface.






Turn the device horizontally by 180° and place it again on absolutely flat surface.




After 2 sec the device goes back to the basic mode.



Personalized favorites





Select favorite function.



Press selection key left or right. Function is set as favorite above the corresponding selection key.





Exit settings.

Select your favorite functions for quick access.

Short cut: Press 2 sec on a selection-key in the measuring mode.

Illumination













Exit settings.




Date and Time












Exit settings.

Compass Adjustment

Adjusting the magnetic declination

Depending on your geographic location, the angle of declination may vary from other locations, as the geographic and magnetic poles are aligned. However, if the reference location is not selected, the difference in declination between the poles can differ greatly. For best results, select the nearest geographic reference point using the steps below.




Select the nearest location and the device adjusts the declination accordingly.



Exit settings.


Touch Screen ON/OFF





Exit settings.








Exit settings.

An offset adds or subtracts a specified value automatically to or from all measurements. This function allows tolerances to be taken into account. The offset icon is displayed.


3

⊆ Reset



Second confirmation with selection keys:

Refuse: Conf




4 C OFF


Exit settings.

Reset returns the instrument to the factory settings. All customized settings and memories are

A HARDWARE-RESET is done by pressing 15 sec on ON/DIST key.

Overview








	Triangle Area
* ↑ ■LR	Long Range Mode
Px Po 1	Height-profile Measurement
A	Measuring on sloped objects
- Px	Height Tracking
	Trapezium
111 d d a	Stake out
7	Pythagoras (2-point)
	Pythagoras (3-point)
9	Width
-	Diameter
) die	Area from Photo













starts if ON/Measure key is pressed.

Calculator






The measurement result from the main line is taken over to the calculator and can be used for further calculations.

Ft/in fractions are converted into ft/in decimal


To takte over a result from the calculator in the basic mode press DIST before leaving the calculator function.

Adjusting measuring reference/tripod



Confirm setting.

If device is switched off, reference goes back to standard setting (rear of the device).




Distance is measured from the rear of the device (standard setting).

Distance is measured from a Leica DISTO Adapter FTA 360 (lock symbol = permanently)


Distance is measured from the tripod thread permanently.


Distance is measured from the front of the device (lock symbol = permanently).



FUNC Functions **EN**

Memory






Switch between measurements.

Delete memory.


Take over value for further actions.




Use Up/Down navigation keys to show more detailed results of the specific measurement.



Measuring single distance










measuring to colourless liquids, glass, styrofoam or semi-permeahigh gloss surfaces. Against dark surfaces the measuring time in-

Smart Horizontal Mode










tilt of $\pm 10^{\circ}$)

Functions EN

0.3°


90°⊏() 0°⊏()


∡ Level



Displays inclinations of 360° with a transverse inclination of +/- 10°. Instrument beeps at 0° and 90°. Ideal for horizontal or vertical adjustments.

Area






target point.





Aim laser at second target point.




The result is shown in the main line and the measured value above.


Partial Measurements / Painter function:


Partial Measurements / Painter function: Press + or - before starting the first measurement. Measure and add or subtract distances. Finish with =. Measure 2nd length.
















Tap on the camera icon in the middle of the bottom line to take a photo.


For screenshots, press camera key for 2 sec.

* OV = Overview

← Compass



The arrow always points to true north.



Check that multifunctional endpiece is not folded out.
Keep the device away from any magnet.



Exit.


At the following places the compass probably does not work correctly:

- Inside of building
 - Close to high voltage lines (e.g. or train platforms)
 - Close to magnets, metal objects or electrical household appliances

If an error message occurs, the device is tilted too much (>20° over the front /> 10° sidewise).

Calibration of Compass:

The compass has to be calibrated before every first measurement after switching on the device.





Rotate the device slowly in a figure 8 motion until OK icon appears on the display.



After 2 sec the device goes back to the basic mode









If the device is connected to the computer via USB cable, you can download or delete the gallery. It is not possible to upload any data.






Long range mode




EN



₩ Height-profile measurement






d Horizontal distance to device



Exit function.



Sloped objects




Indirect distance measuring between 2 points with additional results. Ideal for applications such as length and slope of roof, height of chimneys....


It is important, that the instrument is positioned in the same vertical plane as the 2 measured points. The plane is defined of the line between the 2 points. This means, that the device on the tripod is only moved vertically and not turned horizontally to reach both points.

Functions EN







Trapezium




Stake out



Pythagoras (2-point)





Aim laser at first

target.

The result is shown in the main line.


Pressing the measuring key for 2 sec in the function a


tivates automatically Minimum or Maximum measurement.

We recommend to use the pythagoras only for indirect horizontal measuring.

For height measuring (vertical) it is more precise to use a function with the inclination measuring.

Pythagoras (3-point)






The result is shown in the main line.
Pressing the measuring key for 2 sec in the function activates automatically Minimum or Maximum measurement


rect horizontal measuring.

For height measuring (vertical) it is more precise to

Width



* OV = Overview




It is absolutely necessary to aim with the laser perpendicular to the object.




Select arrows with the cursor keys or by tapping on the display and adjust with softkeys. Corresponding width is calculated.




Diameter





Aim laser perpendicular to the middle of the round object.









Circumference

Circular area

Select arrows with the cursor keys or by tapping on the display and adjust with softkeys. Corresponding diameter is calculated.








Exit.

Area from Photo





Aim perpendicular to the horizontal center line of the area. This area must be perfectly flat on the vertical plane.





Select arrows with the cursor keys or by tapping on the display and adjust with softkeys. Corresponding area is calculated.



Technical Data EN

Distance measurement	
Typical Measuring Tolerance*	± 1.0 mm / ~1/16" ***
Maximum Measuring Tolerance**	± 2.0 mm / 0.08 in ***
Typical Range*	200 m / 660 ft
Range at unfavourable condition ****	80 m / 260 ft
Smallest unit displayed	0.1 mm / 1/32 in
Power Range Technology [™]	yes
Ø laser point at distances	6 /30 / 60 mm (10 / 50 / 100 m)

Tilt measurement	
Measuring tolerance to laser beam*****	-0.1° / +0.2°
Measuring tolerance to housing*****	± 0.1°
Range	360°

General	
Laser class	2
Laser type	635 nm, < 1 mW
Protection class IP54 (dust- and splash water protected)	
Autom. laser switch off	after 90 s
Autom. power switch-off	after 180 s
Bluethooth [®] Smart	Bluethooth v4.0
Range of Bluethooth® 10 m	
Dimension (H x D x W) 61 x 31 x 164 mm 2.4 x 1.2 x 6.5 in	
Weight 238 g / 8.4 oz	
Temperature range: - Storage	

Photos / Screenshots		
Resolution for photos 900 x 800 dpi		
Resolution for screenshots	240 x 400 dpi	
File format	JPG	
Download of gallery	USB	

Battery (Li-Ion)		
Rated voltage	3.7 V	
Capacity	2.6 Ah	
Measurements per battery charge	Approx. 4000	
Charging time	Approx. 4 h	
Output voltage	5.0 V	
Charging current	ΙA	

- * applies for 100 % target reflectivity (white painted wall), low background illumination, 25 $^{\circ}\text{C}$
- ** applies for 10 to 100 % target reflectivity, high background illumination, 10 °C to + 50 °C
- *** Tolerances apply from 0.05 m to 10 m with a confidence level of 95%. The maximum tolerance may deteriorate to 0.1 mm/m between 10 m to 30 m, to 0.20 mm/m between 30 m to 100 m and to 0.30 mm/m for distances above 100 m **** applies for 100 % target reflectivity, background illumi-
- nation of approximately 30'000 lux

 ***** after user calibration. Additional angle related devia-
- tion of \pm 0.01° per degree up to \pm 0.45° in each quadrant. Applies at room temperature. For the whole operating temperature range the maximum deviation increases by \pm 0.1°.

- At a recommended storage temperature of -20°C to $+30^{\circ}\text{C}$ (-4°F to $+86^{\circ}\text{F}$), batteries containing a 50% to 100% charge can be stored up to 1 year. After this storage period the batteries must be recharged.
- For accurate indirect results, the use of a tripod is recommended. For accurate tilt measurements a transverse tilt should be avoided.

Functions	
Distance measuring	yes
Min/Max measuring	yes
Permanent measuring	yes
Stake-out	yes
Addition/Subtraction	yes
Area	yes
Triangle area	yes
Volume	yes
Trapezium	yes
Painter function (area with partial measurem.)	yes
Pythagoras	2-point, 3-point
Smart Horizontal Mode / Indirect height	yes
Height-profile measurement	yes
Level	yes
Sloped objects	yes
Height tracking	yes
Memory	yes
Веер	yes
Illuminated colour display	yes
Multifunctional endpiece	yes
Pointfinder (Viewscreen)	4x zoom, OV
Bluetooth [®] Smart	yes
Personalized Favorites	yes
Timer	yes
Long Range Mode	yes
Calculator	yes
Photo/Screenshot	yes
Compass	yes

If the message **Error** does not disappear after switching on the device repeatedly, contact the dealer.

If the message **InFo** appears with a number, press the Clear button and observe the following instructions:

	0	
No.	Cause	Correction
156	Transverse tilt greater than 10°	Hold the instrument without any transverse tilt.
162	Calibration mistake	Make sure, the device is placed on a absolutely horizontal and flat surface. Repeat the calibration procedure. If the mistake still occurs, contact your dealer.
204	Calculation error	Perform measurement again.
240	Data transfer error	Repeat procedure.
252	Temperature too high	Let device cool down.
253	Temperature too low	Warm device up.
255	Received signal too weak, measuring time too long	Change target surface (e.g. white paper).
256	Received signal too high	Change target surface (e.g. white paper).
257	Too much back- ground light	Shadow target area.
258	Measurement outside of measuring range	Correct range.
260	Laser beam inter- rupted	Repeat measurement.

- Clean the device with a damp, soft cloth.
- Never immerse the device in water.
- Never use aggressive cleaning agents or solvents.

Warranty

Care

Lifetime Manufacturer's Warranty

Warranty coverage for the entire usage time of the product according to Leica Geosystems International Limited Warranty. Free of charge repair or replacement for all products that suffer defects as a result of faults in materials or manufacturing, for the entire life of the product.

3 Years No Cost

Guaranteed service should the product become defective and require servicing under normal conditions of use, as described in the user manual, at no additional charge.

To receive the "3 years no cost" period, the product must be registered at www.leica-geosystems.com/registration within 8 weeks of the purchase date. If the product is not registered, a "2 years no cost" period applies.

yes

yes

yes

yes

Gallery with USB download

Diameter

Area from Photo

Width

The person responsible for the instrument must ensure that all users understand these directions and adhere to them.

Areas of responsibility

Responsibilities of the manufacturer of the original equipment:

Leica Geosystems AG Heinrich-Wild-Strasse CH-9435 Heerbrugg

Internet: www.disto.com

The company above is responsible for supplying the product, including the User Manual in a completely safe condition.

The company above is not responsible for third party accessories.

Responsibilities of the person in charge of the instrument:

- To understand the safety instructions on the product and the instructions in the User Manual.
- To be familiar with local safety regulations relating to accident prevention.
- Always prevent access to the product by unauthorised personnel.

- Measuring distances
- Tilt measurement
- Data transfer with Bluetooth®

Prohibited use

- Using the product without instruction
- · Using outside the stated limits
- Deactivation of safety systems and removal of explanatory and hazard labels
- Opening of the equipment by using tools (screwdrivers, etc.)
- Carrying out modification or conversion of the product
- Use of accessories from other manufacturers without express approval
- Deliberate dazzling of third parties; also in the dark
- Inadequate safeguards at the surveying site (e.g. when measuring on roads, construction sites, etc.)
- Deliberate or irresponsible behaviour on scaffolding, when using ladders, when measuring near machines which are running or near parts of machines or installations which are unprotected
- · Aiming directly in the sun

MWARNING

Watch out for erroneous measurements if the instrument is defective or if it has been dropped or has been misused or modified. Carry out periodic test measurements.

Particularly after the instrument has been subject to abnormal use, and before, during and after important measurements.

△ CAUTION

Never attempt to repair the product yourself. In case of damage, contact a local dealer.

MWARNING

Changes or modifications not expressly approved could void the user's authority to operate the equipment.

Limits of use

Refer to section "Technical data".

The device is designed for use in areas permanently habitable by humans. Do not use the product in explosion hazardous areas or in aggressive environments.

EN

Disposal




CAUTION

Flat batteries must not be disposed of with household waste. Care for the environment and take them to the collection points provided in accordance with national or local regulations.

The product must not be disposed with household waste.

Dispose of the product appropriately in accordance with the national regulations in force in your country.



Product specific treatment and waste management can be downloaded from our homepage.

Electromagnetic Compatibility (EMC)



⚠ WARNING

The device conforms to the most stringent requirements of the relevant standards and regulations.

Yet, the possibility of causing interference in other devices cannot be totally excluded.

FCC statement (applicable in U.S.)

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- This device may not cause harmful interference, and
- this device must accept any interference received, including interference that may cause undesired operation.

This device complies with Industry Canada license-exempt RSS standard(s). Operation is subject to the following two conditions:

- This device may not cause interference and
- this device must accept any interference, including interference that may cause undesired operation of the device.

Déclaration FCC, applicable aux **Etats-Unis**

Ce produit a été testé et ses limites ont été jugées conformes à celles prescrites pour les dispositifs numériques de classe B, décrites dans le paragraphe 15 des règles FCC. Ces limites ont pour but de fournir une protection raisonnable contre des interférences nocives dans une installation résidentielle. Les appareils de ce type génèrent, utilisent et peuvent rayonner de hautes fréquences. Ils sont de ce fait susceptibles de perturber la réception radiophonique en cas d'installation non conforme aux instructions.

Même en cas de respect des instructions, l'absence d'interférences dans une installation particulière ne peut cependant être garantie. Si cet instrument perturbe la réception radiophonique ou télévisuelle, ce que l'on constate en éteignant puis en rallumant l'instrument, l'utilisateur peut tenter de corriger ces interférences en appliquant les mesures suivantes:

- Réorienter ou repositionner l'antenne de réception.
- Augmenter la distance entre l'instrument et le récepteur.
- Connecter l'instrument à un autre circuit que celui du récepteur.
- Consulter le revendeur ou un technicien expérimenté dans le domaine radio/TV.

Cet appareil est conforme à la section 15 des règlements FCC. Son fonctionnement est soumis aux deux conditions suivantes:

- cet appareil ne doit pas causer d'interférences nuisibles, et
- cet appareil doit accepter toute autre interférence reçue, y compris les interférences pouvant entraîner un fonctionnement non désiré.

Ce dispositif est conforme à la norme RSS-210 d'Industrie Canada. L'utilisation est sujette aux deux conditions suivantes :

- ce dispositif ne pas doit pas être la source d'interférences nuisibles, et
- ce dispositif doit accepter toutes les interférences, y compris les interférences pouvant induire des opérations non souhaitées.

Normativa FCC (aplicable en EE UU)

Las pruebas efectuadas han puesto de manifiesto que este equipo se atiene a los valores límite, determinados en la sección 15 de la normativa FCC, para instrumentos digitales de la clase B. Esto significa que el instrumento puede emplearse en las proximidades de lugares habitados, sin que su radiación resulte molesta. Los equipos de este tipo generan, utilizan y emiten una frecuencia de radio alta y, en caso de no ser instalados conforme a las instrucciones, pueden causar perturbaciones en la recepción radiofónica. En todo caso, no es posible excluir la posibilidad de que se produzcan perturbaciones en

determinadas instalaciones.

Si este equipo causa perturbaciones en la recepción radiofónica o televisiva, lo que puede determinarse al apagar y volver a encender el equipo, el operador puede intentar corregir estas interferencias de la forma siguiente:

- cambiando la orientación o la ubicación de la antena receptora.
- aumentando la distancia entre el instrumento y el receptor.
- conectando el instrumento a un circuito distinto al del receptor.
- asesorándose por el vendedor o algún técnico de radio-televisión.

Use of the product with Bluetooth®

MARNING


Electromagnetic radiation can cause disturbances in other equipment, in installations (e.g. medical ones such as pacemakers or hearing aids) and in aircraft. It can also affect humans and animals.

Precautions:

Athough this product conforms to the most stringent standards and regulations, the possibility of harm to people and animals cannot totally excluded.

- Do not use the product near petrol stations, chemical plants, in areas with a potentially explosive atmosphere and where blasting takes place.
- Do not use the product near medical equipment.
- Do not use the product in airplanes.
- Do not use the product near your body for extended periods.

Laser classification



The device produces visible laser beams, which are emitted from the instrument: It is a Class 2 laser product in accordance with:

IEC60825-1: 2007 "Radiation safety of laser products"

Laser Class 2 products:

Do not stare into the laser beam or direct it towards other people unnecessarily. Eye protection is normally afforded by aversion responses including the blink reflex.


MWARNING


Looking directly into the beam with optical aids (e.g. binoculars, telescopes) can be hazardous.

ACAUTION

Looking into the laser beam may be hazardous to the eyes.

Labelling





Subject to change (drawings, descriptions and technical data) without prior notice.

Leica Geosystems AG, Heerbrugg, Switzerland has been certified as being equipped with a quality system which meets the International Standards of Quality Management and Quality Systems (ISO standard 9001) and Environmental Management Systems (ISO standard 14001).

Copyright Leica Geosystems AG, Heerbrugg, Switzerland 2012 Original text (799093 EN)

Pat. No.: WO 9427164, WO 9818019, WO 0244754, WO 0216964,

US 5949531, EP 1195617, US 7030969, US 8279421 B2,

Patents pending



